weinor Paravento side screen

(0800) 328 6250



Side protection whenever you need it

The attractive Paravento side screen provides protection from peering looks, the sun and the wind, and it also stands out for its good looks



www.weinor.com



Attractive privacy

Create your own elegant private surroundings in next to no time



Even if you are on the best of terms with your neighbours, you still might want to enjoy your own privacy from time to time and not have to worry about people peering in. The **Paravento** side screen is a particularly attractive and practical solution. As everything at weinor comes from one and the same source, your **Paravento** perfectly matches all other products.

www.samsonawnings.co.uk

(0800) 328 6250



Fabric range MOMENTS



weinor fabrics, with their high quality workmanship and tear-resistance, are noted for their exceptionally long lives. Special finishing processes also make them particularly UV resistant. Use of the latest nanotechnology gives weinor's fabrics exceptional dirt- and waterrepellent properties.

Matching designs: wonderful fabrics

Combine the wide range of frame colours with over 140 exquisite fabric patterns from weinor's "**moments**" fabric collection. The air-permeable, high-tech Soltis[®] fabric allows you to create a side screen that stops anyone looking in but allows you to see through. The side screen also provides maximum UV protection.

We also offer an additional 18 WeiTex polyester fabrics. These fabrics display outstanding elasticity and memory effect. The result: significantly less creasing and wrinkling and very good fabric positioning.

weinor awnings with a big choice of colours

8 trend

Choose from 47 standard frame colours, 8 scratchresistant and robust trend colours as well as another 200 special RAL colours for your awning.



Exactly the right colour shade

Colour coordinate the **Paravento** with the walls of your house, or on the door shutters, as shown in the example.



Technical details

Max. cassette height

Pullout length at a minimum cassette height of 80 cm

Max. pullout length

Max. cover area

Cover range:

only for cassette height 127.5 cm/ cover curtain width 120 cm

up to cassette width of 250 cm/ cover curtain width 240 cm

up to cassette width of 187.5 cm/ cover curtain width 180 cm

up to cassette width of 187.5 cm/ cover curtain width 170 cm

up to cassette width of 250 cm

47 standard RAL colours

Other RAL colours

8 trend colours

Other structure colours

* for an additional charge



Paravento (with seamless cover)	Paravento (with s
250 cm	250 cm
300 cm	300 cm
400 cm	400 cm
8 m ²	8 m ²
uni-colour designs from the weinor collections	all covers from the weinor collections
9 seamless acrylic uni fabrics (3-502N, 3-503N, 3-504N, 3-507N, 3-509N,	all covers from the weinor collections

3-503N, 3-504N, 3-507N, 3-509N, 3-508N, 3-510N, 3-527N, 3-528N)

3 standard designs (180002, 180001, 180003) (while stocks lost)

Soltis[®] 86 and 92

Soltis[®] 93 (93-3002, 93-3011,93-3044, 93-3045, 93-3046, 93-3047, 93-3088)

yes

yes, for an additional charge

yes, for an additional charge

yes, for an additional charge

We reserve	the right	to make	technical	changes.

yes, for an additional charge

yes, for an additional charge

yes, for an additional charge

all covers from the

weinor collections

all covers from the

weinor collections

all covers from the

weinor collections

yes

o (with sewn cover)

www.samsonawnings.co.uk

We are offer the very highest quality

weinor puts a lot of emphasis on quality, from the design and materials to workmanship, mounting and service, so you can enjoy your **Paravento** for a long time.


Create privacy quickly and easily



Easy to use

Side blinds provide protection from the sun, glare and the wind. They also give you undisturbed privacy. The fabric, which is stored securely in a cassette, is unrolled and retracted easily. In winter, the cassette can be removed easily.

Perfect and simple installation





Installation

Two casing brackets are all you need to install the **Paravento** directly on a house wall, a patio roof support or similar construction. On the opposite side, the **Paravento** only requires one or two handles and a grip bracket at

the same height as the casing. When the side screen is unrolled, the handle inserts into this grip bracket.

The grip bracket can be mounted on a wall or alternatively on a slot-in post or screw-in post. The post itself can be anchored to the patio floor or in a bed of concrete.



Longevity

We don't cut corners on the big or small parts: All our small parts such as screws,



nuts and bolts are of stainless steel so they will last an especially long. All other parts are powder coated

in an elaborate process. This makes them both impact and scratch resistant.

Rediscover your patio



weinor awnings



The Glasoase® from the weinor world of terraces



[▲] weinor patio roofs with VertiTex awning



weinor conservatories

www.weinor.com

Your dealer will be happy to advise you:

No matter what you want to use your patio for, weinor has the right product for you - awning, patio roof, Glasoase[®] and conservatory

As an experienced specialist, your weinor dealer will help you throughout the process, from planning to completion. They will help make your patio dreams come true and will support you with advice and help. That way you stay on the safe side at all times.

Important Informations:

For textile sun protection: Creases can form in the fabric and when folding the awning cloth. That can lead to the areas of the fold appearing darker when seen against the light, particularly with light colours. Folds in the fabric in the areas of the seam, border and panels can be caused by multiple layers of fabric and different diameters of rolled up fabric. The stresses in the fabric caused by this can lead to rippling (e.g. waffle or fishbone shapes). This is normal to differing degrees with nearly all awning fabrics. Creases and folds in the fabric do not reduce the awning's value or its suitability for its purpose. Awnings and conservatory blinds are for protection from the sun and should be rolled up in rain

and strong winds. Wet fabric creases more easily and as far as possible should only be retracted after drying out (please take care in strong winds and avoid the formation of puddles). Depending on the colour of the ordered frame we supply all small parts as well as crank handles and drives for units with crank mechanisms in black (similar to RAL 9005), white (similar to RAL 9016) or grey (similar to weinor 7319).

For patio roof, Glasoase[®], conservatory: contact a qualified conservatory builder for information on the causes of condensation and occasional cracking noises, and on how to avoid these from the outset during the planning stage.

