


# QUBE LINE DISCREET, ROBUST AND EXTREMELY ELEGANT







# **QUBE LINE**

## THE DISCREET LIGHTWEIGHT PERGOLA

With its QUBE series, ERHARDT Markisen has extended its range of pergolas. The QUBE Line is a folding pergola and protects you from the sun, wind and rain on your terrace. It is discreet, lightweight and extremely elegant. The QUBE Line pergola is an innovative product with a precise and reliable fabric guidance system, which combines the lightness of the shapes with the good protective properties of the fabric. The fabric guidance system runs within the guide rails and the mechanism disappears into the particularly slender structure. Extend your outdoor season with additional optional accessories. At night, LED lighting ensures an atmospheric ambience on your terrace. The QUBE line with its elegant design integrates perfectly into your surroundings.

## **QUBE LINE**

## ONE PRODUCT MANY OPTIONS



#### Sleek profiles, linear design

The QUBE Line is characterised by its sleek profiles and clear linear system. The lightweight aluminium construction, in combination with the waterproof fabric, creates ideal protection for your terrace without being obtrusive.




#### Provision of maximum shade

The QUBE Line can protect large terraces up to a width of 13 m and a maximum depth of 5.50 m.




#### Patented sealing system

Patented rain protection piping is attached to the side guide rails. This profile cannot move when the fabric is moving and is attached to the fabric with two sealing lips. This ensures the required impermeability and prevents water from penetrating, even in the event of wind.



profile, which you can dim continuously via a remote control.



### Optimum protection for the fabric

In its retracted state, the fabric is protected against dirt from above thanks to its rain cover.

#### Intelligent, concealed drainage

The waterproof fabric channels the rainwater into the front gutter. From there, the water is drained in a concealed manner by the supports. No external downpipe constructions disrupt the harmonious look.





#### Adjustable support feet

The slightest unevenness of the terrace is incorporated within the construction. The concealed and adjustable support feet enable the pergola to be mounted quickly and perfectly.

#### Many options for your terrace

The QUBE line offers a wide range of accessories to enable you to design your terrace individually. An accompanying gutter rectifies the overall view and makes it even more sleek. Heating and light complete the whole package.





## **QUBE LINE**

## AT A GLANCE

#### All features of QUBE Line

| Maximum dimensions    | Max. 1300 x 500 cm  Max. 1150 x 550 cm  (max. width 1300 cm fabric in one piece)   |
|-----------------------|--|
| Means of installation | Wall mounting  |
| Areas of application  | Pergola awning   |
| Technology            | <ul> <li>» One drive for both<br/>guide rails</li> <li>» 2 guide rails, 2 posts<br/>and one water gutter</li> <li>» Motors compatible with Somfy RTS<br/>and io control</li> </ul>   |
| Frame colour          | <ul> <li>» White (RAL 9016)</li> <li>» Grey-aluminium structured</li> <li>(RAL 9007 finely structured)</li> <li>» Anthracite (DB 703)</li> <li>» available in any RAL colour</li> </ul>  |
| Fabric designs        | <ul> <li>» Flexlight SMART 6002</li> <li>» Flexlight OPAQUE 6002</li> <li>» Precontraint 502 Satin</li> <li>» Precontraint 622 GRIGIO</li> <li>» Precontraint 602 BIANCO / AVORIO</li> <li>» Precontraint 622 BIANCO / AVORIO</li> <li>» Soltis Proof W96</li> </ul> |

Special features

- » Concealed drainage due to posts
- » Accompanying gutter optional
- » Wind resistance class 6 in accordance with

UNI EN 13561

» Not suitable for vertical awnings and substructure elements

### **Optional additional features**

- » Automatic wind and rain control
- » Lighting with LED strip in fabric support profile possible
- » Infrared heating element

For more information, please contact your ERHARDT dealer.









enquiries@samsonawnings.co.uk