Markilux MX 1





EMAIL: ENQUIRIES@SAMSONAWNINGS.CO.UK TELEPHONE: (01933) 448844 MON - FRI 8:30AM - 5:30PM



LED Spots in the canopy

Evening is the time for those little highlights. In the markilux MX-1 they can point both up and down. Discover further lighting and design options on page 18.













The markilux shadeplus

At the touch of a button, an additional vertical blind in the front profile protects against low-lying sun and prying eyes.



Cassette awning

max. 700 × 437 cm, cassette depth approx. 62 cm

Arm technology

Bionic tendon

Options

shadeplus / drop valance and a broad range of light and colour options, page 18



Quality has its merits. Usually the very best ones.

markilux MX-1

Even at first glance, the markilux MX-1 makes an immediate impact with its unique mix of shape and functionality. Retracted, the tapered full cassette with a depth of 62 cm makes a big impression on the observer as a canopy that protects your awning from the effects of the weather. When extended it shows its true magnitude. This designer awning is a pioneer due to the numerous technological innovations it incorporates and its multi-award-winning design. The markilux MX-1 creates an unparalleled atmosphere at any time of the day, which will charm you again and again, today and in the future.

mx_1 Options



Colour combinations

Cassette and front panel are available in different colours, which can be combined freely.



LED Line in the front profile

Gives uniform lighting and a pleasant ambience after sunset.



LED Spots in the front profile

This brilliant lighting effect converts the room under the awning into an oasis of well-being in the evening.



LED Spots in the cassette / canopy

Highlight specific areas and allow you to enjoy a pleasant evening under the awning.



traffic white

light ivory








LED ambient lighting


An impressive eye-catcher in the evening hours.
The front profile is available in five contrasting colours and can be illuminated with dimmable lighting.



The markilux shadeplus

At just the touch of a button, the optional protection from glare and prying eyes creates an unparalleled, private room outdoors. As standard, the shadeplus is equipped with a radio-controlled motor and comes supplied with a markilux remote control.

markilux designer awnings





markilux 990	markilux 3300	markilux 1710	markilux 1600	markilux 930	markilux 1700	markilux 1300	
						3	
500 × 300 cm	700 × 400 cm	700 × 350 cm	710 × 400 cm	500 × 300 cm	700 × 400 cm	700 × 400 cm	
Manual operation	Manual operation	Manual operation	Manual operation	Manual operation	Manual operation	Manual operation	
• servo-assisted manual operation	• servo-assisted manual operation	• servo-assisted manual operation	• servo-assisted manual operation	• servo-assisted manual operation	• servo-assisted manual operation	• servo-assisted manual operation	
• hard-wired motor	• hard-wired motor	• hard-wired motor	• hard-wired motor	• hard-wired motor	• hard-wired motor	• hard-wired motor	
• radio-controlled motor*	• silentec motor • radio-controlled motor*	• radio-controlled motor*	• radio-controlled motor*	• radio-controlled motor*	• radio-controlled motor*	• radio-controlled motor*	
Twin round steel-link chains	Bionic tendon	Bionic tendon	Twin round steel-link chains	Twin round steel-link chains	Bionic tendon	Twin round steel-link chains	
• Bionic tendon			• Bionic tendon				
Face/top/eaves	Face/top/eaves	Face/top/eaves	Face/top/eaves	Face/top	Face/top/eaves	Face/top/eaves	
• wall sealing profile	wall sealing profileniche	• wall sealing profile	• wall sealing profile			• aluminium coverboard	
• end cap insert in polished chrome	• valance	• end caps and end cap insert	• LED Spots in the front profile	• valance	• end caps and end cap insert	• shadeplus / drop valance	
• valance	• coupled awning	in polished chome	• end caps in polished chrome		in polished chome	• valance	
		• valance	shadeplus / drop valance		• valance	pitch adjustment gear	
		• coupled awning	• valance		coupled awning	• coupled awning	
		• stretch	• coupled awning		• stretch		
			• stretch				
	mat Wind protection and extra p	orivacy Page 46		90 Side screen Page 48 . 450 cm, height: 90 – 250 cm			
	o demarcation, fixed to footings, awning sy	vstem element	Operation: manual operation; Fixture type: can be fitted to a wall or in a niche				
	gular solutions, slide, panoramic window	sem centent	Options: • angled top edge and mobilfix				

markilux awning systems

	markilux pergola	markilux pergola compact	markilux planet	markilux markant	markilux syncra	markilux construct
						Ticharana any 182
Max. width × projection	600 × 450 cm	450 × 400 cm	600/610×300 cm	600 × 600 cm (2 fields)	Up to 60 m ²	Almost unlimited
	500 × 600 cm		500/510×350 cm	300×600 cm (1 field)	depending on the awning model	
Awning system	pergola	pergola	Awning-cum-parasol	Textile weather protection	Awning stand system	Frame system
	tracfix cover guidance	tracfix cover guidance	with one	Free-standing, purist in design,	with two posts	modular and flexible
	with lateral guide tracks	with lateral guide tracks	markilux designer awning	on four posts with	and one/two	
	on slim posts	on slim posts	as desired	integrated designer awning	markilux designer awnings	
					or pergolas as desired	
Operation	Hard-wired motor	Hard-wired motor	Depending on the awning model	Radio-controlled motor*	Depending on the awning model	Depending on the awning model
optional	• silentec motor	• radio-controlled motor*				
	• radio-controlled motor*					
Arm technology	-	-	Depending on the awning model	-	Depending on the awning model	Depending on the awning model
Fixture type	Face/top/eaves	Face/top/eaves	Free-standing	Free-standing	Free-standing	Free-standing
	• wall sealing profile	• wall sealing profile	on concrete foundations	on concrete foundations	on concrete foundations	on concrete foundations
				or attached to a wall	or stabilisation boxes	
Options**			Depending on the awning model		Depending on the awning model	Depending on the awning model
	• LED Line/LED Spots	• LED Line/LED Spots	• flex (335° pivoting)	• LED Line/LED Spots	• uno	• vertical roller blinds
	• shadeplus / drop valance	shadeplus / drop valance (manual)	shadeplus / drop valance	• wall sealing profile	• flex	• wind protection and extra privacy
	• wind protection and extra privacy	• wind protection and extra privacy	• base plate covers	• vertical roller blinds	• round or square posts	• panoramic window
	• round or square posts	• round or square posts		• wind protection and extra privacy	• base plate covers	• round or square posts
	• adjustable posts	• adjustable posts		• panoramic window	• coupled awning	• base plate covers
	• stabilisation boxes	• stabilisation boxes				
	• coupled awning					
	* Remote control, smart (app) or intellig	ent control possible	** Some options cannot be combined			





Nationwide delivery and installation service



6-8 MEADOW CLOSE
ISE VALLEY INDUSTRIAL ESTATE
FINEDON ROAD
WELLINGBOROUGH
NN8 4BH

EMAIL: ENQUIRIES@SAMSONAWNINGS.CO.UK TELEPHONE: (01933) 448844 MON - FRI 8:30AM - 5:30PM

