## Erhardt Awning Overview





EMAIL: ENQUIRIES@SAMSONAWNINGS.CO.UK

TELEPHONE: (01933) 448844 MON - FRI 8:30AM - 5:30PM



# **ERHARDT AWNING –**SUN PROTECTION WITH GOOD TASTE



#### **OPEN FOLDING ARM AWNING**



#### **ERHARDT S**

Maximum size	600 x 300 cm (width x projection)
Frame colour	<ul><li>white (RAL 9016)</li><li>grey aluminium textured (RAL 9007 fine texture)</li></ul>
Fabric designs	<ul> <li>Tibelly Ambiente collection (polyester)</li> <li>Tibelly Classic collection (acrylic)</li> </ul>
Angle of inclination	0°- 45°
Special features	<ul> <li>Comes with valance as standard</li> <li>Optional rain cover</li> <li>Very slim projection profile</li> <li>Variomatic gearing (optinal tilt adjustment)</li> <li>Two coupling versions</li> </ul>



#### **ERHARDT BS**

N.A	700 400 ( ' !!!
Maximum size	700 x 400 cm (width x projection)
	»Deluxe« double awning:
	700 x 350 cm (width x projection)
Frame colour	<ul> <li>white (RAL 9016)</li> </ul>
	<ul> <li>grey aluminium textured</li> </ul>
	(RAL 9007 fine texture)
	• anthracite (DB 703)
Requested colours	Any RAL colour possible
Fabric designs	Tibelly Ambiente collection
	(polyester)
	<ul> <li>Tibelly Classic collection</li> </ul>
	(acrylic)
Angle of inclination	5°- 45°
Special features	Comes with valance as standard
	• "Deluxe" model: Aluminium front
	design instead of fabric valance
	<ul> <li>Variomatic gearing (optinal tilt</li> </ul>
	adjustment)
	<ul> <li>Available as a double awning with</li> </ul>
	crank handle
	Two coupling options





#### **CASSETTE AWNING**





<b>ERHA</b>	RDT	BS-D,	BS-H
-------------	-----	-------	------

Maximum size	700 x 400 cm (width x projection) »Deluxe« Double awning:
	700 x 350 cm (width x projection)
Frame colour	white (RAL 9016)      grave aluminium taxturad
	<ul> <li>grey aluminium textured (RAL 9007 fine texture)</li> </ul>
	• anthracite (DB 703)
Requested colours	Any RAL colour possible
Fabric designs	<ul> <li>Tibelly Ambiente collection (polyester)</li> <li>Tibelly Classic collection (acrylic)</li> </ul>
Angle of inclination	5° - 45°
Special features	<ul> <li>Comes with valance as standard</li> <li>"Deluxe" model: projection profile design instead of fabric valance</li> <li>BS-D standard with rain cover</li> <li>BS-H standard with sleeve profile</li> <li>BS-D and BS-H with high-quality tilt arm bearing</li> <li>Available as a double awning as an</li> </ul>

remote control
• Coupling option

option, possible with crank handle or

#### **ERHARDT K**

Maximum size	500 x 300 cm (width x projection)
Frame colour	• white (RAL 9016)
	<ul> <li>grey aluminium textured</li> </ul>
	(RAL 9007 fine texture)
	anthracite (DB 703)
Requested colours	Any RAL colour possible
Fabric designs	Tibelly Ambiente collection
	(polyester)
	<ul> <li>Tibelly Classic collection</li> </ul>
	(acrylic)
Analo of inclination	0° - 45° (with motor)
Angle of inclination	0° - 30° (with crank handle)
Special features	Comes with motor as standard
	<ul> <li>Slim design, cassette height just</li> </ul>
	13 cm
	<ul> <li>Ideal for balconies and small terraces</li> </ul>
	<ul> <li>Unobtrusive and timelessly elegant</li> </ul>
	design





#### **CASSETTE AWNING**





#### **ERHARDT J**

N de vises une eine	FOO y OOF and (wighth y projection)
Maximum size	500 x 325 cm (width x projection)
Frame colour	• white (RAL 9016)
	<ul> <li>grey aluminium textured</li> </ul>
	(RAL 9007 fine texture)
	• anthracite (DB 703)
Requested colours	Any RAL colour possible
Fabric designs	Tibelly Ambiente collection
	(polyester)
	Tibelly Classic collection
	(acrylic)
Angle of inclination	0°- 45°
Special features	Comes with motor as standard
	<ul> <li>Integrated gutter</li> </ul>
	Soft cassette closing

• Offers different mounting options

#### **ERHARDT C**

Maximum size	650 x 350 cm (width x projection)
Frame colour	• white (RAL 9016)
	• grey aluminium textured
	(RAL 9007 fine texture) • anthracite (DB 703)
Requested colours	Any RAL colour possible
Fabric designs	<ul> <li>Tibelly Ambiente collection (polyester)</li> <li>Tibelly Classic collection (acrylic)</li> </ul>
Angle of inclination	0°- 45°
Special features	<ul> <li>Various brackets: flexible fitting options</li> <li>Soft cassette closing</li> <li>Integrated gutter</li> </ul>









#### **ERHARDT SD**

Maximum size	700 x 400 cm (width x projection) Double awning: 650 x 325 cm (width x projection)
Frame colour	<ul> <li>white (RAL 9016)</li> <li>grey aluminium textured (RAL 9007 fine texture)</li> <li>anthracite (DB 703)</li> </ul>
Requested colours	Any RAL colour possible
Fabric designs	<ul><li>Tibelly Ambiente collection (polyester)</li><li>Tibelly Classic collection (acrylic)</li></ul>
Angle of inclination	5° - 35°
Special features	<ul> <li>Cassette height only 15 cm</li> <li>Very sturdy (large areas possible)</li> <li>Available as a double awning with remote-controlled motor</li> <li>Coupling option</li> <li>High-quality tilt arm bearing</li> </ul>

#### **ERHARDT Q**

Maximum size	700 x 400 cm (width x projection)  Double awning:
	650 x 325 cm (width x projection)
Frame colour	<ul> <li>white (RAL 9016)</li> <li>grey aluminium textured (RAL 9007 fine texture)</li> <li>anthracite (DB 703)</li> </ul>
Requested colours	Any RAL colour possible
Fabric designs	<ul> <li>Tibelly Ambiente collection (polyester)</li> <li>Tibelly Classic collection (acrylic)</li> <li>Double awning: Soltis</li> </ul>
Angle of inclination	5° - 35°
Special features	<ul> <li>Modern linear design</li> <li>Comes with motor as standard</li> <li>Very stable (large areas possible)</li> <li>Available as a double awning with remote-controlled motor</li> <li>With integrated LED lighting as an option</li> <li>High-quality tilt arm bearing</li> </ul>





#### **PERGOLA AWNING**





#### **ERHARDT PM**

Minimum width	145 cm (width) with max. projection 500 cm
Maximum width	650 cm (width) with max. projection 450 cm
Max. projection	500 cm (projection) with max. width 600 cm
Technical	Electric motor, quiet
	Tensioning mechanism
Frame colour	• white (RAL 9016)
	<ul> <li>grey aluminium textured</li> </ul>
	(RAL 9007 fine texture)
	• anthracite (DB 703)
Requested colours	Any RAL colour possible
Fabric designs	Tibelly Ambiente collection
	(polyester)
	Tibelly Classic collection
	(acrylic)
Angle of inclination	0°-45°
Special features	Comes with motor as standard
	Aluminium supports

Minimum width	100 cm (width) with max. projection 250 cm
Maximum width	500 cm (width) with max. projection 450 cm
Technical	Electric motor, quiet Tensioning mechanism
Frame colour	<ul> <li>white (RAL 9016)</li> <li>grey aluminium textured (RAL 9007 fine texture)</li> <li>anthracite (DB 703)</li> </ul>
Requested colours	Any RAL colour possible
Fabric designs	<ul> <li>Tibelly Ambiente collection (polyester)</li> <li>Tibelly Classic collection (acrylic)</li> </ul>
Angle of inclination	0°-45°
Special features	<ul> <li>Comes with motor as standard</li> <li>Completely new design</li> <li>Slim design</li> <li>With new ZIP technology</li> <li>Aluminium supports</li> </ul>

• Rails: max. 50 cm

- Can be coupled: operate two units with one motor
- Rails max. 50 cm
- Suitable for small and large areas
- Sun and rain protection, even in windy conditions
- Range of brackets available for non-standard installation
- Purlin can be used in the front area
- Cross member can be used in the pages







#### **CONSERVATORY AWNING**





#### **ERHARDT TM**

ERHARDI IM	
Minimum width	100 x 250 cm
Maximum width	Below-roof insulation: 600 x 450 cm
(width x projection)	Above-roof installation: 500 x 450
	cm
Installation	Below-roof installation
	Above-roof installation
Installation technology	2 side rails against/on spacers (75-500 mm height)
Coupling type	maximum 2-part, 2 awnings cont- rolled by single motor; series installa- tion of several units possible
Overhang	Rails: max. 100 cm
Frame colour	• white (RAL 9016)
	<ul> <li>grey aluminium textured</li> </ul>
	(RAL 9007 fine texture)
	• anthracite (DB 703)
Requested colours	Any RAL colour possible
Fabric designs	Tibelly Ambiente collection (polyester)
	Tibelly Classic collection (acrylic)
Special features	Small cassette

• Suitable for small areas (roof

• Awning fabric with welded glue

• Fabric version also possible without

windows)

technology

ZIP technology

#### **ERHARDT HS**

Minimum width Maximum width (width x projection)	145 x 600 cm 650 x 600 cm	
Installation	Above-roof installation	
Installation technology	2 side rails on spacer (85-500 mm height)	
Coupling type	max. 2-part, 2 awnings can be cont- rolled by one motor; awning connec- ted via double rail; series installation of several units possible	
Overhang	Rails: max. 100 cm	
Frame colour	<ul> <li>white (RAL 9016)</li> <li>grey aluminium textured (RAL 9007 fine texture)</li> <li>anthracite (DB 703)</li> </ul>	
Requested colours	Any RAL colour possible	
Fabric designs	Tibelly Ambiente collection (polyester Tibelly Classic collection (acrylic)	
Special features	<ul> <li>Compact design</li> <li>Very robust, perfect for larger areas</li> <li>1 to 4-piece can be coupled with</li> </ul>	





special double rail

#### **CONSERVATORY AWNING**

#### WIND PROTECTION AND PRIVACY WALL





#### **ERHARDT WG**

## Minimum width 80 x 450 cm (width x projection) Maximum width 500 x 450 cm (width x projection) or 600 x 400 cm (width x projection)

# Installation Below-roof installation 2 free rails fitted directly under the fabric Coupling type Series fitting of several systems possible: always requires one motor per awning Overhang Rails: max. 120 cm

	Cassette: max. 120 cm per side
Frame colour	• white (RAL 9016)
	<ul> <li>grey aluminium textured</li> </ul>
	(RAL 9007 fine texture)

• anthracite (DB 703)

Fabric designs

• Tibelly Ambiente collection (polyester)

• Tibelly Classic collection (acrylic)

 Soltis 86 and 92 (Available as max. 350 x 350 cm)

Special features

- Rails can be inset for non-standard installation
- Elegant look

 Awning fabric with welded glue technology

#### **ERHARDT WSW**

Maximum width	• fabric measure 120 x 400 cm (height x projection) seamless fabric cassette height 130 cm	
	• fabric measure 180 x 350 cm (height x projection) welding fabric cassette height 190 cm	
Installation -	Cassette with handle holder Pull-out bar with wall holder Pull-out bar with mast (optional)	
Frame colour	<ul> <li>white (RAL 9016)</li> <li>grey aluminium textured (RAL 9007 fine texture)</li> <li>anthracite (DB 703)</li> </ul>	
Requested colours	Any RAL colour possible	
Fabric designs	<ul> <li>Tibelly Ambiente collection (polyester)</li> <li>Tibelly Classic collection (acrylic)</li> <li>Tibelly Screen collection (up to 300 cm possible)</li> <li>Soltis 86 and 92 (up to 300 cm possible)</li> </ul>	
Special features	<ul> <li>Unobtrusive cassette design 10 x 12 cm</li> <li>Fabric can be removed (e.g. in the winter)</li> <li>Flexible maintenance option</li> <li>Very strong (i.e. high winds)</li> </ul>	





any options

• Holders and handles are available in

#### **VERTICAL AWNING**

#### **VERTICAL AWNING WITH ZIP-SYSTEM**





#### EDHADDT V-CH

ERHARDT V-SH		
Maximum width	600 x 240 cm (width x projection)	
Vertical awning	Stainless steel cable guide  • white (RAL 9016)  • grey aluminium textured (RAL 9007 fine texture)  • anthracite (DB 703)	
Frame colour		
Requested colours	Any RAL colour possible	
Fabric designs	<ul> <li>Tibelly Ambiente* collection (polyester)</li> <li>Tibelly Classic* collection (acrylic)</li> <li>Tibelly Screen* collection (glass fiber)</li> <li>Soltis 86 and 92</li> </ul>	
Single solution for facade shading	Window and door panels     Glass surfaces and facades	
Can be combined for	<ul> <li>Terrace roofs (Including side mounting)</li> <li>Pergola awnings</li> <li>Conservatories</li> <li>balcony</li> </ul>	
Special features	Patented swivel lever technology (SH)     Comes with motor as standard	

#### **ERHARDT Z-R90 SH**

Maximum width	600 x 240 cm
	(width x projection)
Vertical awning	Guide rail with Zip technology
Frame colour	• white (RAL 9016)
	<ul> <li>grey aluminium textured</li> </ul>
	(RAL 9007 fine texture)
	• anthracite (DB 703)
Requested colours	Any RAL colour possible
Fabric designs	• Tibelly Screen collection (glass fiber)
Single solution for facade	Window and door panels
shading	<ul> <li>Glass surfaces and facades</li> </ul>
Can be combined for	Terrace roofs (Including side
	mounting)
	<ul><li>Pergola awnings</li></ul>
	<ul> <li>Conservatories</li> </ul>
	• balcony
Special features	Patented swivel lever technology (SH)
	Zipper system (Zip)
	<ul><li>High wind stability and filigree design</li><li>Series installation possible</li></ul>
	<ul> <li>Comes with motor as standard</li> </ul>



• Filigree design

• Series installation possible






• Round cassette design

#### **VERTICAL AWNING WITH ZIP-SYSTEM**



#### ERHARDT Z-R105 ERHARDT Z-E105



design



#### ERHARDT Z-R125 ERHARDT Z-E125

N. A. a. vivos v. vi altila

Maximum width	Z-R125 and Z-E125 500 x 300 cm (width x projection)		
Vertical awning	Guide rail with Zip technology		
Frame colour	<ul> <li>white (RAL 9016)</li> <li>grey aluminium textured (RAL 9007 fine texture)</li> <li>anthracite (DB 703)</li> </ul>		
Requested colours	Any RAL colour possible		
Fabric designs	Tibelly Screen collection (glass fibe		
Single solution for facade shading	Window- and door element     Vertical glass areas or facades		
Can be combined for	<ul> <li>Terrace roofs ((Including side mounting)</li> <li>Pergola awnings</li> <li>Conservatories</li> <li>balcony</li> </ul>		
Special features	<ul> <li>Zipper system (Zip)</li> <li>High wind stability</li> <li>Inset drop bar</li> <li>Series installation possible</li> <li>Comes with motor as standard</li> <li>Round and rectangular cassette design</li> </ul>		





#### **VERTICAL AWNING WITH ZIP-SYSTEM / WITH WINDOW**



#### ERHARDT Z-R(E)105 ERHARDT Z-R(E)125

Maximum width	• Z-R(E)105		
	400 x 300 cm (width x projection)		
	• Z-R(E)125		
	500 x 300 cm (width x projection)		
Vertical awning	Guide rail with Zip technology		
Frame colour	• white (RAL 9016)		
	<ul> <li>grey aluminium textured</li> </ul>		
	(RAL 9007 fine texture)		
	• anthracite (DB 703)		
Requested colours	Any RAL colour possible		
Fabric designs	Tibelly Screen collection (glass fiber)		
	• Window height max. 134 cm		
Single solution for facade	Window- and door element		
shading	<ul> <li>Vertical glass areas or facades</li> </ul>		
Can be combined for	Terrace roofs (Including side mounting		
	<ul><li>Pergola awnings</li></ul>		
	<ul> <li>Conservatories</li> </ul>		
	• balcony		
Special features	<ul> <li>Zipper system (Zip)</li> </ul>		
	<ul> <li>High wind stability</li> </ul>		
	• Inset drop bar		
	• Flame retardant B1		
	Comes with motor as standard     Development and restorate land and restorate land.		
	<ul> <li>Round and rectangular cassette</li> </ul>		


design





#### **WINDOW AWNING**





#### **ERHARDT** vertical awning with guide rail

Maximum size	300 x 300 cm (width x projection) 400 x 220 cm (width x projection) Max. width for single units 400 cm	
Vertical awning	Guide rail	
Frame colour	<ul> <li>white (RAL 9016)</li> <li>grey aluminium textured (RAL 9007 fine texture)</li> <li>anthracite (DB 703)</li> </ul>	
Requested colours	Any RAL colour possible	
Fabric designs	<ul> <li>Tibelly Ambiente collection (polyester)</li> <li>Tibelly Classic collection (acrylic)</li> <li>Tibelly Screen collection (glass fiber)</li> <li>Soltis 86 and 92</li> </ul>	
Single solution for facade shading	<ul><li>Window- and door element</li><li>Vertical glass areas or facades</li></ul>	
Can be combined for	<ul> <li>Terrace roofs (Including side mounting)</li> <li>Pergola awnings</li> <li>Conservatories</li> <li>balcony</li> </ul>	
Special features	<ul><li>Single unit or can be coupled</li><li>Comes with motor as standard</li><li>Crank operation possible</li></ul>	


• Round cassette design

#### **ERHARDT** vertical awning with cable guide


Maximum size	300 x 260 cm (width x projection) 400 x 200 cm (width x projection) Max. width for single units 400 cm	
Vertical awning	Stainless steel cable guide	
Frame colour	<ul> <li>white (RAL 9016)</li> <li>grey aluminium textured (RAL 9007 fine texture)</li> <li>anthracite (DB 703)</li> </ul>	
Requested colours	Any RAL colour possible	
Fabric designs	<ul> <li>Tibelly Ambiente collection (polyester</li> <li>Tibelly Classic collection (acrylic)</li> <li>Tibelly Screen collection (glass fiber)</li> <li>Soltis 86 and 92</li> </ul>	
Single solution for facade shading	<ul><li>Window- and door element</li><li>Vertical glass areas or facades</li></ul>	
Can be combined for	<ul> <li>Terrace roofs (Including side mounting)</li> <li>Pergola awnings</li> <li>Conservatories</li> <li>balcony</li> </ul>	
Special features	<ul> <li>Single unit or can be coupled</li> <li>Comes with motor as standard</li> <li>Crank operation possible</li> <li>Round cassette design</li> </ul>	







#### **ERHARDT** window awning blind



• Round cassette design



#### **ERHARDT** drop arm awning

Maximum size	400 x 175 cm (width x projection)	
Vertical awning	Drop arm	
Frame colour	<ul> <li>white (RAL 9016)</li> <li>grey aluminium textured (RAL 9007 fine texture)</li> <li>anthracite (DB 703)</li> </ul>	
Requested colours	Any RAL colour possible	
Fabric designs	<ul><li>Tibelly Ambiente collection (polyeste</li><li>Tibelly Classic collection (acrylic)</li><li>Soltis 86 and 92</li></ul>	
Single solution for facade shading	<ul><li>Window- and door element</li><li>Vertical glass areas or facades</li></ul>	
Can be combined for	<ul> <li>Terrace roofs (Including side mounting)</li> <li>Pergola awnings</li> <li>Conservatories</li> </ul>	
Special features	<ul> <li>Single unit</li> <li>Comes with motor as standard</li> <li>Indoor or outdoor operation with crank possible</li> </ul>	





• Round cassette design

#### WINDOW AWNING WITHOUT BOX





#### **ERHARDT SOK**

#### **ERHARDT FOK**


Maximum size	550 x 400 cm (width x projection)	Maximum size	550 x 175 cm (width x projection)
Vertical awning	Stainless steel cable guide	Lateral guide	Drop arm
Frame colour	<ul> <li>white (RAL 9016)</li> <li>grey aluminium textured (RAL 9007 fine texture)</li> <li>anthracite (DB 703)</li> </ul>	Frame colour	<ul> <li>white (RAL 9016)</li> <li>grey aluminium textured (RAL 9007 fine texture)</li> <li>anthracite (DB 703)</li> </ul>
Requested colours	Any RAL colour possible	Requested colours	Any RAL colour possible
Fabric designs	<ul> <li>Tibelly Ambiente collection (polyester)</li> <li>Tibelly Classic collection (acrylic)</li> <li>Tibelly Screen collection (glass fiber)</li> <li>Soltis 86 and 92*</li> </ul>	Fabric designs	<ul> <li>Tibelly Ambiente collection (polyester)</li> <li>Tibelly Classic collection (acrylic)</li> <li>Tibelly Screen collection* (glass fiber)</li> <li>Soltis 86 and 92*</li> </ul>
Single solution for facade shading	Window- and door element     Vertical glass areas or facades	Single solution for facade shading	Window- and door element     Vertical glass areas or facades
Can be combined for	<ul><li>Terrace roofs (including on the side)</li><li>Pergola awnings</li><li>Conservatories</li></ul>	Can be combined for	<ul><li>Terrace roofs (including on the side)</li><li>Pergola awnings</li><li>Conservatories</li></ul>
Special features	<ul><li>Single unit</li><li>Crank operation possible</li></ul>	Special features	Single unit     Indoor or outdoor operation with crank possible

\* depending on size










Your Erhardt specialised partner







### Nationwide delivery and installation service



6-8 MEADOW CLOSE
ISE VALLEY INDUSTRIAL ESTATE
FINEDON ROAD
WELLINGBOROUGH
NN8 4BH





EMAIL: ENQUIRIES@SAMSONAWNINGS.CO.UK TELEPHONE: (01933) 448844

MON - FRI 8:30AM - 5:30PM