Erhardt Qube ARC Retractable Pergola System





EMAIL: ENQUIRIES@SAMSONAWNINGS.CO.UK TELEPHONE: (01933) 448844

MON - FRI 8:30AM - 5:30PM



QUBE ARC MINIMALIST DESIGN WITH TECHNOLOGY AND RELIABILITY





QUBE ARC

LOW OVERALL HEIGHT AND BEAUTIFUL AESTHETIC

With the launch of the new QUBE series, ERHARDT Markisen has extended its range of pergolas, into which we are proud to introduce the QUBE Arc. The aluminium pergola protects you from the sun, wind and rain. Thanks to the movable fabric, a new concealed system for collecting and draining rainwater makes the pergola very efficient, even in very heavy rain. The curved roof ensures a very low overall height and a beautiful aesthetic. A wide selection of fabrics (transparent, translucent or opaque) and extensive accessories such as lighting with LED, heaters, vertical awnings with zip function and all-glass sliding doors that can be moved sideways complete the range and allow you to tailor the QUBE Arc to your individual needs.

06/2020



ONE PRODUCT MANY OPTIONS



Sophisticated design

The QUBE Arc is equipped with a curved roof for a beautiful aesthetic. This design product has a low installation height and does not require any pitch. The large selection of fabrics for the curtain enables an individual look depending on your taste.

Functionality

The curved, waterproof curtain is mounted on horizontal slide rails and is powered by a motor and quiet timing belt technology. In its extended state, the fabric reaches its full tension and curvature, thus forming a waterproof curtain against the construction. In its retracted state, the curtain is folded into a minimal package and you can enjoy the sun directly. This ensures its correct functioning and comprehensive protection.





Ambiance with LED

Your personal ambiance may be ensured by means of an integrable LED strip in the surrounding gutter, which you can dim continuously via a remote control.

Intelligent, concealed drainage

Gutter systems located on the ribs channel the rainwater into the surrounding gutter. From there, the water is drained in a concealed manner by the supports. Even when opening the curtain after a rain shower, the water is drained in a controlled manner by the intelligent design of the profiles, and thus protects you completely.





Design

When developing QUBE Arc, the emphasis was placed on a harmonious design combined with an architecturally appealing form and protection from sunlight. This is reflected, among other things, in such details as the upper support section, which is almost inconspicuous, although technically highly efficient in the construction.

. www.samsonawnings.co.uk 06/2020

Individual opening option

By means of a continuously controllable motor that moves the curtain over 2 slide rails, the waterproof fabric moves to its desired position, up to complete opening. Your remote control ensures maximum comfort.





Tested, safe system

All materials, mechanisms and construction elements have been tested by strict certification bodies who constantly monitor and check the quality of production. Erhardt Markisenbau GmbH has received the CE marking of the product in accordance with EN 13561 and EN 1090. For the QUBE Arc pergola, wind resistance class 6 as per EN 13561:2015 was achieved.

Solutions for all structural situations

Large openings without supports are a trend in today's architecture. For such requirements, we provide special solutions for your construction project. A version which manages without back supports within the structure uses a wall bracket that fits harmoniously into the construction and controls the loads in the structure without any obtrusive supports.










All features of QUBE Arc


550 x 1000 cm* Support length max. 250 cm *from 700 cm, additional central support and central reinforcement	 Special features Free-standing, self-supporting construction Concealed drainage Surrounding gutter profiles Wind resistance class 6 in accordance with UNI EN 13561 	construction
Wall mounting possible		
Pergola awning		
Drive and shift via rope technologyMotors compatible with Somfy RTS and io control		
 White (RAL 9016) Grey aluminium structured (RAL 9007 finely structured) Anthracite (DB 703) 		
Any RAL colour is possible	Optional additional features	
Fabric designs • FLEXLIGHT SMART 6002	Automatic control for wind, rain and temperature optional	
• FLEXLIGHT OPAQUE 6002	LED strip in gutter and LED spot in cross brace optional	
OSCURANTE/BLACKOUT	Heating optional	
• PRECONTRAINT 502	Vertical awnings	
 PRECONTRAINT 622 OSCURANTE/BLACKOUT 	All-glass sliding d	oor
	Support length max. 250 cm *from 700 cm, additional central support and central reinforcement Wall mounting possible Pergola awning • Drive and shift via rope technology • Motors compatible with Somfy RTS and io control • White (RAL 9016) • Grey aluminium structured (RAL 9007 finely structured) • Anthracite (DB 703) Any RAL colour is possible • FLEXLIGHT SMART 6002 • FLEXLIGHT OPAQUE 6002 OSCURANTE/BLACKOUT • PRECONTRAINT 502 • PRECONTRAINT 602	Support length max. 250 cm *from 700 cm, additional central support and central reinforcement Wall mounting possible Pergola awning • Drive and shift via rope technology • Motors compatible with Somfy RTS and io control • White (RAL 9016) • Grey aluminium structured (RAL 9007 finely structured) • Anthracite (DB 703) Any RAL colour is possible • FLEXLIGHT SMART 6002 • FLEXLIGHT OPAQUE 6002 OSCURANTE/BLACKOUT • PRECONTRAINT 502 • PRECONTRAINT 602 • PRECONTRAINT 622 OSCURANTE/BLACKOUT



Your ERHARDT specialised partner







Nationwide delivery and installation service



6-8 MEADOW CLOSE
ISE VALLEY INDUSTRIAL ESTATE
FINEDON ROAD
WELLINGBOROUGH
NN8 4BH







EMAIL: ENQUIRIES@SAMSONAWNINGS.CO.UK TELEPHONE: (01933) 448844 MON - FRI 8:30AM - 5:30PM