

ERHARDT TM



## ERHARDT TM18

THE UNIVERSAL AWNING FOR YOUR  
TERRACE ROOF AND CONSERVATORY

 **ERHARDT<sup>®</sup>  
MARKISEN**







## ERHARDT TM18

### CUSTOM PROTECTION FOR YOUR PATIO

The new TM18 terrace awning lets you relax in your favourite place in a pleasant, shaded atmosphere. The TM18 is impressive with its completely new design and its Zip technology, which eliminates the light gap between the guide rail and the fabric. It is suitable as a small, compact awning especially for terrace roofs and conservatories. Depending on requirements, the slim awning design makes either on-roof or under-roof mounting possible. The two elegant lateral guide rails are mounted using special spacers. An extensive range of accessories, such as lighting rails, heating elements and wireless motors with special sensors for sun, rain and wind, are available for the awning. With its fresh design and wide range of options, the ERHARDT TM18 gives you customisable protection from the sun for your terrace.

# ERHARDT TM18

## ONE PRODUCT MANY OPTIONS





### Design

The TM18 terrace roof awning has been manufactured in a brand new, modern design. Clear, gentle contours produce a harmonious and visually pleasing overall look. The awning fits perfectly into the terrace roof, either as a covered under-glass awning or as the ideal protection from the sun as an on-roof awning.

### Zip

As standard, the new guide rail is always designed with the lateral zip function on the fabric, meaning that there is no longer a light gap between the fabric and lateral guide rail.




### Size

The use of state-of-the-art technology allows sizes of 600 x 450 cm for under-roof mounting and 500 x 450 cm for on-roof mounting. Larger systems are achievable by series mounting.

### Flush drop profile

To complement the lateral zip function, the front drop profile closes flush, giving the awning a harmonious overall look and practically eliminating the light gap between it and the terrace roof purlin.




### Very easily accessible revision cover in the drop profile

Adjustments to the drop profile can be made easily from the front and from below. It is no longer necessary to extend the awning, as the access cover can be opened and closed again from the front with the minimum of fuss.

**Cover area**

The side covers are fixed by use of concealed fasteners. The Hexagonal socket screws are hidden by "Erhardt awning" sticker, so no visible screw heads disturb the elegant design..

**Made in Germany**

ALL ERHARDT awnings are made in Burtenbach, Bavaria. All-round service and continuous production control guarantee high quality.





# ERHARDT TM18

## AT A GLANCE

### All of the ERHARDT TM18 features

Minimum width	100 x max. projection 300 cm
Maximum dimensions (width x projection)	Under-roof mounting 600 x 450 cm On-roof mounting 500 x 450 cm
Means of installation	2 side rails on spacers (75-500 mm high)
Series mounting	» Series mounting of several units is only possible with separate motors for each unit. » Cover plate for series mounting
Overhang	Rails max. 100 cm
Areas of application	» Terrace roof » Conservatory » Domed skylights » Skylight windows » Roof lights
Technology	quiet electric motor, tensioning system with counterbalance technology
Cassette awning	All-round protection for fabric and mechanism
Frame colour	» White (RAL 9016) » Grey aluminium structured (RAL 9007 finely structured) » Anthracite (DB 703)
Custom colour	available in any RAL colour

Fabric designs	» Tibelly Ambiente collection (polyester) » Tibelly Classic collection (acrylic) » Awning fabric with welded glue technology » Standard version: ZIP technology
Special features	» Motorised as standard » Spacers of different heights available » Auxiliary bracket for under-roof mounting

### Optional additional features

- » Remote control motor with control unit
- » Automatic wind and sun sensors
- » Rain sensor
- » Under-roof mounting with lighting rail (optionally dimmable)
- » Infrared heater (incl. wireless level control)

For more information, please contact your ERHARDT dealer.

